

Heathkit®

WINTER-1979

***The best to you from the
Laboratories at Heath!***

Heathkit engineering and design has established a worldwide reputation for quality, value and innovation in bringing electronic products in easy-to-build kit form. This catalog continues that tradition. Our wide selection of new for '79 products includes a new DC to 35 MHz dual-trace oscilloscope; new amateur radio linear amplifiers; a sophisticated new digital readout stereo FM-AM tuner and new educational programs. Read about these and nearly 400 other products in this bright, new catalog!

**HEATHKIT MAIL ORDER
CATALOG 843**

"Heath" and "Heathkit" are registered trademarks of Heath Company
© 1978 Heath Company

OSCILLOSCOPES
**ANALOG AND DIGITAL
METERS**

See handy index on back cover.



CHOOSE THE HEATHKIT COMPUTER SYSTEM THAT MEETS YOUR NEEDS!

Our H11 16-Bit Computer is the one you want to move and manipulate data with amazing speed! It can suit your needs for business applications such as payroll systems, inventory control, mailing lists, any function that requires large amounts of data control.

Our H8 8-bit computer is the choice for hobbyists and small businesses. While it does not operate as fast as the 16-bit H11, its capabilities are quite adequate for all but the most sophisticated uses.



Here's how to get a big 5% System Discount on Heathkit Computers and Peripherals

Simply choose the H8 or H11A and one major peripheral plus any I/O devices and accessories you need for a complete custom computer system. Then you can deduct 5% from the total price (excluding shipping and handling charges). It's the ideal way to get the exact computer system you need and save money too!

Heathkit "Total System"

The value standard in personal computing systems featuring two powerful computers with better software, full documentation and service support from the Heath Company.

Heathkit computers and peripherals are designed to give the computer user, whether beginner or advanced, the most value and versatility for the money. Each unit, computer or peripheral, is an advanced product offering substantial benefits over competitive products. And now, with floppy disk storage available for the H8 and H11/H11A, these Heathkit computer systems rank with the finest computer products available anywhere at any price!


Personal computing is the exciting new hobby that's sweeping the country. Using a computer for games, educational and practical applications has proven itself to be stimulating, creative, educational and satisfying. Programming a computer to do things for you is not only interesting and challenging, it's FUN!

What's more, your personal computer doesn't have to be just a game-player. There are literally hundreds of applications you can program it for — checkbook balancing, keeping track of savings, charting stocks, budget planning, taxes, etc. — use it in your home for awhile and you'll be amazed at what it can do. Any data storage and retrieval application can be done faster, more accurately and more efficiently when it's done by a computer.

The business applications of computers are obvious too — payroll accounts, sales records, inventory control, accounting and bookkeeping operations, etc. Computers help you increase efficiency, streamline your operation, and save you time AND money by doing many time-consuming routine procedures with lightning speed.

Owning and using a computer can also be an exciting learning experience. You learn how to solve problems, how to program, and simply how computers work. Knowledge of this kind can really pay off because computers are being used everywhere and their application is





Personal Computers—the ones you can start with and stay with!

becoming even more widespread as low-cost mini- and microcomputers are incorporated into new devices.

Using Heath computer equipment to start and pursue your computer hobby is the really smart thing to do. We have everything you need to go from learning programming (our Microprocessor program and computer trainer, pages 88-89) to a full 16-bit machine with complete peripherals. The computer products are offered either fully assembled and tested or in money-saving, easy-to-build kit form. And every Heathkit computer product is backed by the resources of Heath Company — full service facilities, comprehensive step-by-step instruction manuals and complete technical consultation.

We're confident you'll find the Heathkit computer line one of the most intelligent, sensibly developed and complete product lines available today. It offers you total versatility and expansion capability to go wherever your imagination and computing prowess take you. And, in the Heathkit tradition, it offers the best price/performance and reliability combination you'll find anywhere.



Heath
User's
Group

**HUG®—The Heath User's Group
Keeps You in Touch and Up to Date**

The Heath User's Group puts you in contact with other Heath computer owners and keeps you up to date on Heath products. There's an informative newsletter, a complete program library and exchange, new product information and hardware/software ideas. Membership in HUG is a useful way to get the maximum benefit from your Heathkit Computer System. Here's what you get:

- 1 year subscription to the quarterly newsletter
- Software library allowing you to submit programs and obtain programs submitted by others. There is a small fee for program duplication.
- An attractive 3-ring binder to hold newsletters, software documentation and other materials.
- Program submission forms • Software library catalog

Dues are \$14.00 per year, and must be paid in full (no bank cards or Heath revolving charge). Full details are included with every Heathkit computer product. H11 owners are also eligible for membership in DECUS, see page 70 for details, or phone (616) 982-3463.



Texas Instruments TI Programmer — A Great Calculator for Computer Hobbyists

- Provides conversions between octal, decimal and hexadecimal number systems.
- Special logic operations for mini and microcomputer applications.
- Versatile 3-key independent memory and 15 levels of parentheses for complex problems.
- Performs standard calculator functions too.

The TI Programmer is a hand-held calculator designed for people who work with computers. It provides fast and accurate conversions between octal, decimal and hexadecimal number systems to eliminate bulky conversion tables or longhand methods. It performs arithmetic operations in any of the three number systems, and it features logic operations (AND, OR, EXCLUSIVE OR, SHIFT) for flexibility in programming. Has "two's complement" arithmetic in octal and hexadecimal modes; three-key memory that lets you store, sum to memory or recall numbers; constant mode to simplify repetitive calculations. The easy-to-read 8-digit LED display has indicators for octal and hex modes. With rechargeable battery and AC adapter/charger. 3" W x 5½" H x 1¼" D. The TI Programmer is a useful programming and debugging aid for any computer application. It's lightweight and completely portable so you can take it with you anywhere. Fully assembled and factory tested.

PC-1, Shpg. wt. 2 lbs. \$59.95



THE HEATHKIT H8 PERSONAL COMPUTER

\$379⁰⁰
Kit

Requires at least one H8-1
Memory Board to operate

The powerful, easy-to-use personal computer with the "intelligent" front panel featuring octal entry keyboard and digital readout — plus a fully wired and tested 8080A CPU — one of the most popular microprocessors available today!

6 EVENING KIT
Fast, Easy Assembly

- Built-in extended ROM monitor controls front panel program
- Heavy-duty power supply handles to 65K memory
- Exclusive Heath 50-line fully-buffered bus has positions for up to 9 plug-in circuit boards
- Built-in speaker provides audible feedback for keyboard entry
- Convection cooled power supply — no fan needed

The Heathkit H8 computer is the ideal choice for personal or hobby computing. Its combination of unique features and low cost make it an outstanding value among general-purpose computers, and, thanks to Heath's exclusive design, it is one of the most versatile. It is easy-to-build, and simple to operate. And while it is an ideal entry level machine, it provides the expansion capability that allows you to build it into a powerful general-purpose computer system. The H8 lets you start small and increase its power and versatility as you increase your programming prowess.

The H8, with the addition of 4K of memory, makes an ideal computer trainer. Its 16-key front panel keyboard provides octal data entry and gives you direct access to registers and memory, one-button program load and dump, and input/output keys for direct communication with any port. Its 9-digit octal readout provides far more information than conventional computers — memory, registers and I/O port displays are updated even while programs are running for direct monitoring of program activity.

With the addition of more memory peripherals and interfaces, the H8 can become even more powerful and versatile, allowing you to write highly sophisticated and practical programs. And because the H8 is based on the world-famous 8080A CPU, the amount of existing software (programs) from both Heath and other sources makes it one of the most immediately practical computers you can own.

66



The H8 is complete with superior Heathkit documentation to get you up and running fast and easy. Optional software is available in cassette form.

See the following pages for complete descriptions of H8 peripherals and accessories, and our exciting new Floppy Disk System.

The H8's optional software is supplied in 1200 baud audio cassette form to get you up and running fast. Benton Harbor BASIC, HASL-8 2-pass absolute assembler, TED-8 line-oriented text editor, and BUG-8 terminal console debug program let you begin communicating with the H8 right away. See next page for a run-down of this powerful software.

Other features of the H8 include: exclusive Heath-designed 50-pin fully buffered bus; mother board with positions for up to 9 plug-in circuit boards that accept the CPU, front panel memory, I/O and other accessory cards; built-in convection cooled power supply; built-in speaker for audible feedback and special effects; front panel status lights and more. The CPU board is fully wired and tested for easy system setup and kit assembly. It features the 8080A chip, clock, systems controller, ROM monitor and full bus buffering. Seven vectored interrupts are available for quick response to I/O requests.


The H8 is housed in a heavy-duty metal cabinet with modern, high-impact structural foam side panels. 16 1/4" W x 6 1/2" H x 17" D. Switch-selected 120/240 VAC, 50/60 Hz. Requires at least one H8-1 memory board to operate.

Software is available in audio cassette form and is also available on diskettes.



Order the H8, software and accessories from page 68.

FOR FASTEST SERVICE — USE THE HEATHKIT HOTLINE!
(616) 982-3411 day or night



Here's the "inside" story on the H8 Computer — just look at these unique features!

The unique Heath-designed 50-pin bus is implemented on a heavy-duty printed circuit board with copper-foil bus lines. The 9-position mother board is complete with all connectors. The bus lines are fully buffered to eliminate noise and crosstalk, and "glitch-free" to prevent timing problems.

Modular circuit boards slide into the H8 mainframe for easy memory and I/O expansion and easy access for servicing. The boards are in a semi-vertical position with unconfined heat sinks to enhance convection cooling and improve heat dissipation.

Heavy-duty power supply, rugged steel chassis and securely mounted and braced circuit boards make the H8 a truly reliable and long-life machine.




Memory Display



Register Display



I/O Port Display



The H8 Computer "tells" you about operations

The H8's "intelligent" front panel provides the most informative display of any personal computer we've seen. All displays are continuously updated even while your program is executing, giving you instant access to registers and memory for direct monitoring of program activity. The memory display shows memory location and contents using 6 digits for address and 3 digits for data. The register display shows CPU-register contents using 6 digits for data and 2 digits for register identification. The I/O port display shows I/O port data and location using 3 digits for data and 3 digits for port address.

One of the most useful front panels available anywhere!

The unique front panel keyboard makes the H8 one of the most powerful and sophisticated low-cost general-purpose computers available. It provides direct access to registers and memory even while programs are running; one-button load and dump for fast, easy system startup; a single instruction key for "stepping" through programs for easy debugging, program evaluation and learning; and input/output keys for communicating directly with any port.

This widely-praised Software for the Heathkit H8 makes it "ready" for your programming!

The software for the H8 computer has a number of features that make it easier to use and more practical than other systems. Automatic "command completion" simplifies typing; dynamic syntax checking instantly alerts you to errors and a special user configuration lets you personalize your system. H8 software is memory efficient to give you more computing power for your memory dollar, has modular design for easy expansion, and is thoroughly documented for easy programming and maximum effectiveness.

The System Software for the H8 includes: BENTON HARBOR BASIC. This conversational programming language uses simple English statements and familiar algebraic equations to perform operations and solve problems. It is compact enough to run in the Heathkit H8 with limited memory, yet powerful enough to satisfy most problem-solving requirements. Requires a minimum of 8K memory. Extended Benton Harbor BASIC is also available, order from page 68.

ASSEMBLY LANGUAGE (HASL-8). This two-pass absolute assembler lets you create source programs using letters, numbers and symbols to generate efficient machine language code.

It assembles the source program into a listing and an object program in binary format executable by the H8. A minimum of 8K memory is required.

TEXT EDITOR (TED-8). Converts the H8 computer and terminal into a powerful typewriter for generating text and editing. It prepares the source code for H8 assembly language and can be used to prepare reports, write letters and edit manuscripts. Requires a minimum of 8K memory.

CONSOLE DEBUGGER (BUG-8). This enhanced and extended version of the front panel monitor allows entry and debugging of user machine language programs via an external terminal. It features single or multiple stepping through programs, breakpointing, load and dump from tape storage. It requires a minimum of 4K memory plus user program.

The software is supplied in 1200 baud audio cassette form.

H8-18, Shpg. wt. 11 lbs.20.00

H8 Accessories, Software and Manual Set

Order your H8 Computer and Accessories from the listings below. See previous pages for a complete description of the H8. Kit H8, Shpg. wt. 30 lbs. **379.00**

WH8, Assembled and tested version of H8. Shpg. wt. 30 lbs. **475.00**

WH8-16 16K Wired Memory Board for H8. Lets you expand the H8 to the full capacity of the 8080A CPU (65K). WH8-16, Fully assembled & tested. 2 lbs. **395.00**

H8-1 8K Memory Board. 8Kx8 memory card supplied with 4K memory, plugs directly into H8 bus. Features maximum storage capacity of 8192 8-bit words. Uses modern 4Kx1 static memory IC chips for easy assembly and service. Access time, less than 450 nS. With on-board regulators, heat sinks and full buffering. Expandable to 8K memory with H8-3 chip set below.

Kit H8-1, Shpg. wt. 2 lbs. **125.00**

H8-3 Chip Set. Kit of eight 4K static memory IC's. Expands H8-1 to full 8K storage. With sockets.

Kit H8-3, Shpg. wt. 1 lb. **85.00**

NEW! WH8-8 Assembled and Tested 8K Memory Board. Shpg. wt. 2 lbs. **250.00**

H8-2 Parallel Interface. Connects H8 to any parallel device such as a paper tape reader/punch. Has three independent parallel ports, each with 8 bits input and 8 bits output and universal handshaking capability. Compatible with all Heath software.

Kit H8-2, Shpg. wt. 3 lbs. **150.00**

WH8-4, Four-Port Assembled and Tested Serial Interface Board. Provides additional serial I/O capability for the H8. Connect other serial devices such as the WH14 line printer (page 74). 2 lbs. **250.00**

NEW! WH8-41 Adapter Cable. Provides EIA industry-standard electrical and mechanical interface between H8-4 and other peripherals. For use with H8 computer. Assembled and tested.

WH8-41, Shpg. wt. 1 lb. **15.00**

H8-5 Serial I/O and Cassette Interface. Connects the H8 to serial devices such as the H9 video terminal (page 74) or the H36 DEC Writer II (page 75). Features jumper selectable data rate from 110 to 9600 baud, plus common input/output interfaces including 20 mA current loop and EIA RS-232C compatible levels. The cassette recorder interface permits use with the Heathkit ECP-3801, page 75. Uses the popular Byte/Manchester recording format but runs at 1200 baud. Has control lines for remote start and stop of two cassette units to allow separate record and playback capability. LED test circuit.

Kit H8-5, Shpg. wt. 3 lbs. **125.00**


WH8-5, Assembled and Tested version of above. 2 lbs. **150.00**

NEW! WH8-51 Adapter Cable. Provides EIA industry-standard electrical and mechanical interface between H8-5 and other peripherals. For use with H8 computer. Assembled and tested. WH8-51, Shpg. wt. 1 lb. **15.00**

NOTE: Proper operation of the H8-5 is assured only if you use the Heath ECP-3801 cassette player/recorder and Heath-recommended recording tape (ECP-3802, page 75). Heath is not responsible for improper operation associated with other cassette units.

NEW! H8-7 Breadboard Card. Lets you custom design your own circuits for additional interfacing, creating your own memory boards, etc. Make the H8 even more versatile. Includes H8 bus interface and address decode.

Kit H8-7, Shpg. wt. 2 lbs. **90.00**



Extended Benton Harbor BASIC. An enhanced version of BASIC with strings and files. It provides even faster operation and includes character strings, additional convenience commands and math functions, dynamic storage allocation, access to real time clock, keyboard interrupt processing, expanded error messages and recovery ability, LED display control and key pad support. Minimum of 12K memory is required to run this BASIC, 16K is preferred if full use is to be made of its capabilities. Supports WH-14 line printer and WH8-4 Interface Board. Supplied in 1200 baud audio cassette format.

HC8-14, Shpg. wt. 2 lbs. **20.00**

HM-800 Manual Set. Here's your chance to LOOK before you buy, and with no risk! Includes complete assembly and operations manuals for the H8, H8-1, H8-2, H8-3, H8-5, H9 and H10. The complete H8 software documentation is also included! All in a handsome 3-ring binder. You can deduct the price of the manual set when you buy your H8.

HM-800, Shpg. wt. 11 lbs. **25.00**

NOTE: Individual product manuals are included with each kit

Cassette Software for the H8

BIORHYTHM. Plots sinusoidal curves of your physical, emotional, and intellectual characteristics over a given time period. The biorhythm program will show you your ups and downs and will tell you your good and bad days. While this program is not a game, it is an entertaining activity that you will truly enjoy. The program runs under extended BASIC and requires 16K of RAM. PA-82, 1 lb. **10.00**

SPACE WAR. This is perhaps the most popular computer game available. It allows you to guide, control and command the Starship Enterprise in its travels through the galaxy, fighting Klingons and solving problems. A truly challenging and entertaining computer game. Requires 24K RAM. PA-83, Shpg. wt. 1 lb. **10.00**

GAME SET #1. This software package lets you play 8 popular computer games. These games include Craps, Orbit, Tic Tac Toe, Nim, Hexapawn, Hangman, Ham-rabi, and Derby. 8K RAM or more is required. These games will provide hours of entertainment for you and your family. PA-84, Shpg. wt. 1 lb. **10.00**

NOTE: Above applications software is in 1200 baud audio cassette form.



Deluxe H8 System with CRT and Floppy Disk

Choose the H8 System you need to meet your particular computing requirements and deduct a big 5% from the total price of the individual items

Now you can select the H8 system that meets your particular requirements and get a big system discount. Simply choose the H8, any major peripheral INCLUDING the H17 floppy disk, plus the software, memory and accessories you need. Then deduct 5% from the total price (excluding shipping and handling charges). It's the easy, efficient way to get your complete computer system and save money too!


The H17 Floppy Disk System Makes Your H8 a Real "Pro"!




Shown with optional
second drive

\$575⁰⁰

Kit with
single drive




Rugged and Reliable Fully Assembled WANGCO Model 82 Disk Drive Unit offers Totally Reliable and Dependable Mechanical and Electrical Operation for Years of Trouble-Free Service.



The H17 INCLUDES the Interface/Disk Controller Circuit Board — An Extra Cost Option with Most Other Units.

NOTE: The H8 Computer Requires at Least 16K of RAM to Use the H17 Floppy Disk and Its Operating System.



The unique diagnostic supplied with the H17 includes: a drive speed test to check floppy rpm; a general test to verify total system operation including R/W; a media test to examine disk for defects; and a seek time test to vary the seek time to determine the most reliable speed and efficient operation.

Complete Operating Instructions Are Included in a Handsome and Rugged Three-Ring Binder

Expanded, Hard-Sector 40-Track Diskette Contains All Software Programs

The H17 Floppy Disk System is the peripheral that will make your H8 a true professional system! You'll be able to, load programs in seconds instead of minutes, update files and data virtually instantly, and have storage and program access that's far faster and more efficient than paper tape or cassette storage!

The new H17 floppy disk system is the one you've been waiting for. It makes the H8 a thoroughly sophisticated, completely versatile computer that gives you the storage and programming capacity you NEED for virtually any application! With this floppy disk system, you can load programs instantly so you're up and running fast; you can store literally hundreds of programs on a single disk so you have lots of storage space and immediate access to all your programs; and you can update files instantly and efficiently to save time. Floppy disk storage is far more versatile and reliable than paper tape or cassette storage systems; it truly makes the H8 a "total versatility" computer system.

Designed exclusively for use with the H8, the H17 has been "systems" engineered to deliver a fully assembled package including: a disk drive, and interface disk/controller circuit board, and built in power supply. The H17 is one of the few disk drive systems on the market to INCLUDE the interface/disk controller circuit board at no extra charge! The controller circuit board plugs directly into the H8's mainframe and with the addition of the optional second drive you'll have optimum dual-drive versatility.

The storage media for the H17 is the standard, hard-sectored 40-track diskette. Measuring just 5.25" in diameter, each disk offers access to better than 102K bytes of available program and data storage area.

The drive system used in the H17 is the famous WANGCO Model 82, a performance-proven drive providing accurate high-speed data access. Specifications of this drive include a conservative 30 mS maximum track-step time and typical random sector access times of less than 250 mS. These figures are considerably better than most equivalent competitive drives.

The WANGCO 82 drive system is supplied fully assembled and tested. It's backed by extremely reliable mechanical and electrical operation. To use the H17 effectively with the H8 computer requires at least 16K of RAM for the H8 and H8-17 operating systems software, sold separately below. The H17 includes a single blank diskette.

Kit H17, Shpg. wt. 27 lbs. **575.00**

WH17, Factory assembled and tested. Shpg. wt. 28 lbs. **675.00**

Optional Second Drive. Adds dual-drive versatility to H17 for a total of over 204K bytes of available program and data storage area.

H17-1, Shpg. wt. 5 lbs. **295.00**

Package of 5 Blank Diskettes.


H17-2, Shpg. wt. 1 lb. each **25.00**

H17 SPECIFICATIONS: Storage Media: 5.25" hard-sectored 40-track diskette. Drive Type: WANGCO Model 82. Track Seek Time: 30 ms maximum. Random Sector Access Time: Less than 250 milliseconds. Power Requirement: 120/240 VAC, 50/60 Hz. 75 watts. Dimensions: 13.5" W x 6.25" H x 13.5" D.

Here's the complete Operating Systems Software for the H17 Floppy Disk System

The Operating Systems Software for the H17 Floppy Disk System includes a diskette containing the standard H8 software plus a unique diagnostic for optimum system setup and evaluation. This software includes extended Benton Harbor BASIC with strings and files; a 2-pass absolute assembler that generates efficient machine language codes; a text editor to prepare source code for BASIC and other languages; a console debugger for easy debugging of user machine language programs via an external terminal; and a full set of disk utility programs for convenient file manipulation. Special features of this operating software include Dynamic File Allocation which automatically keeps free space available to permit unlimited file size and prevent squeezing of disks. It also prevents estimating or predeclaring file size before writing to provide more efficient use of file space. Special facilities support running and backup of single-drive configurations to permit copying and transferring between disks even with a single-drive system. Device independence permits direct communication between any program and any device for added flexibility. A file utility program allows two kinds of wild cards for fast, easy bulk manipulation of files. The software is supplied on a standard diskette and a comprehensive operations and instruction manual.

H8-17, Shpg. wt. 12 lbs. **100.00**



NEW Heathkit/DEC H11A 16-Bit Computer

\$1095⁰⁰

The new H11A uses the new LSI-11/2 family of microcomputer products to bring you a 16-bit machine of almost incredible power and versatility. New "half-size" CPU board gives you more space for memory and I/O to increase power and performance!

The New Heath/DEC H11A combines the advanced, performance-proven hardware and software of the state-of-the-art LSI-11/2 with Heath's expertise in kit design and documentation to bring you a personal computer of almost incredible power and versatility.

What is The H11A?

The H11A is Heath's top-of-the-line computer.

It is designed for the serious computer hobbyist. It is the world's most powerful hobby computer. It offers the advance hobbyist the power and potential to implement more sophisticated applications. Most hobbyists discover that their problem solving and programming capabilities grow quickly as they learn more about the computer. Before long, many advanced hobbyists simply run out of computing power. Their small low cost system may be inadequate to produce the performance required by some advance applications. The H11A is the computer that meets the demand for superior performance in hobby applications. When you buy the H11A you buy virtually unlimited potential.

The H11A is also useful in education, industry and small business. Its computing power and expansion capability make it ideal for such applications. The H11A is for those who want commercial performance at hobby prices.

The Heathkit H11A is virtually identical to DEC's famous PDP-11/03 microcomputer. It features the advanced new "half-size" LSI-11/2 (KD11-HA) microcomputer. The performance of the H11A is identical to DEC's PDP-11/03 but at a fraction of the cost. This new half-size configuration allows you to put more computing power and versatility into the H11A cabinet by providing an extra plug-in slot for additional memory or I/O interface. See next page for a complete description of the KD11-HA board.



The H11A is complete with superior Heathkit documentation.

The 16 Bit vs. 8 Bit Issue

To the first time computer buyer and to many advanced users, the question of the value of a 16 bit computer over an 8 bit computer frequently arises. Should you purchase an H11A or an H8? Your choice of a 16 bit or 8 bit computer depends upon your needs. If you are a beginner with simple applications, the H8 is your best choice. If you are an advanced hobbyist or professional with demanding applications, the H11A is clearly your best choice. The H11A has adequate computer power not only for simple applications but for the more complex and sophisticated jobs that you will be tackling later. It is also the best choice for commercial and industrial applications. In buying the H11A, you are purchasing ultimate immediate performance and future potential.

The H11A Mainframe

A basic H11A computer is supplied with an attractively styled cabinet, a heavy duty power supply, a backplane incorporating DEC's state-of-the-art LSI-11/2 bus and the powerful new KD11-HA CPU board fully assembled and tested. This board contains the LSI-11/2 computer. To this mainframe you will need to add the various memory and I/O accessories that will configure the H11A to your particular specifications. The H11A backplane with the KD11-HA board in place contains 7 additional plug-in slots for memory and I/O cards. Complete systems software is optionally available in paper tape and floppy disk form. Rugged metal cabinet with high-impact plastic sides measures 19" W x 6½" H x 17" D. For 110/220 VAC, 50/60 Hz.

Kit H11A, Shpg. wt. 43 lbs.1095.00

WH11A, Factory Assembled and Tested version of above.


Shpg. wt. 43 lbs.1850.00

Order software, memory expansion modules and interface accessories from page 72.

See page 72 for Software License Agreement

NOTE: H11A and WH11A owners are eligible for membership in the Digital Equipment Computer User's Society (DECUS). This organization provides useful symposia, newsletters, program library and other useful information to help you get the most from your LSI-11 computer.

Here's the "Inside Story" on the H11A!



Card cage with backplane accommodates up to eleven accessory cards in addition to LSI-11/2. The card cage swings up for easy access and service even while the H11A is operating. Accessory boards slide directly into card guides with all connectors supplied.


Rugged steel chassis and extra-thick backplane with heavy, solid connectors for added strength and years of superior performance.

Built-in quiet-running fan provides efficient cooling and prevents heat buildup.

Compact, efficient switching power supply uses less power to operate and generates less heat than conventional supplies. Overvoltage and overcurrent/short circuit protection, along with automatic power-up and power-down sequencing, provide high reliability and long life operation.

Top to Bottom
16K Memory Board
32K Memory Board
KD11HA Microcomputer Board

Top to Bottom
4K Memory Board
Parallel Interface Board
Serial Interface Board



Fully Assembled and Tested KD11-HA Circuit Board

The "heart" of the new H11A is the 16-bit microcomputer module, the KD11-HA. It's only half the size of the LSI-11 (KD-11F), but gives you better features and performance, and provides even more flexibility when you configure your system. There is no on-board memory so you can match your RAM/ROM requirements to your particular needs. And full compatibility with the LSI-11 family means you can "mix or match" by combining components from both LSI-11 and LSI-11/2 families.

Features of the KD11-HA include: PDP-11/34 instruction set, raw computer speed of 380 nS microcycle time, resident firmware debugging (ODT) and ASCII console routines, integer and floating point arithmetic instructions, and single and double operand instructions. The LSI-11/2 gives you the power and flexibility you need for virtually ANY system configuration you want!

Optional H11A Paper Tape Software includes:

ED-11. Assists you in the creation and modification of ASCII source tapes, also used to write assembly language programs and for general text editing or word processing functions.

PAL-11S. Relocatable assembler converts ASCII source tapes into relocatable binary modules. This lets you create programs in small, modular segments for easier coding and debugging.

LINK-11S. Link editor which links the modules created by the PAL-11S into a load module ready for execution on the H11A. The module is loaded into the H11A via the Absolute Loader.

Absolute Loader. Loads tapes into the H11A memory for execution.

ODT-11X. Lets you debug the programs which you have created. Permits modifying and controlling program execution "on the fly".

IOX. I/O executive program permits I/O programming without developing device-driving programs. Links to your programs using the LINK-11S. For use with high speed paper tape reader/punch and line printer.

DUMP-AB and DUMP-R. Lets you dump binary contents of memory to the paper tape punch.

BASIC. DEC's powerful version of standard Dartmouth BASIC interpreter uses English-type statements and mathematical symbols to perform operations. Immediately translates, stores and executes the program. Includes string capability.

FOCAL™. DEC's own interpretive computer language which combines simplicity with computing power. Ideal for most scientific, engineering and math applications. FOCAL™ programs can be written and executed easily. Both 4K and 8K versions are included.

H11-18, Shpg. wt. 7 lbs. 30.00

H11A Accessories, Software and Manual Set

Order your H11A from page 70, order the accessories and interfaces you need for a custom-designed computer system below.

H11-1 4K Memory Expansion Module. Plugs into H11A or H11 backplane, adds 4K x 16-bit word capacity to memory. Uses high-reliability 1K x 4 static MOS RAM chips. Access time is less than 500 nS. Has decode circuitry for operation on 4K address boundaries. Handle for easy removal and insertion.

Kit H11-1, Shpg. wt. 2 lbs.225.00

Assembled and Tested version of above.

WH11-1, Shpg. wt. 2 lbs.275.00

H11-2 Parallel Interface. General-purpose parallel interface featuring 16 diode-clamped latched data input lines, 16 latched output lines, 16-bit word or 8-bit byte data transfers. Has LSI-11 bus interface and control logic for interrupt processing and vectored addressing; control status registers compatible with PDP-11 software routines. Four control lines for output data ready, output data accepted, input data ready and input data accepted logic operations. Maximum data transfer rate, 90K words per second under program control. Maximum drive capability, 25-ft. cable. Plugs into H11 backplane, can be used with DEC PDP 11/03 and other LSI-11 backplane machines. Also compatible with TTL or DTL logic devices. The H11-2 is required to use H11A or H11 with the H10 Paper Tape Reader/Punch.

Kit H11-2, Shpg. wt. 2 lbs.95.00

Assembled and Tested version of above.

WH11-2, Shpg. wt. 1 lb.150.00

H11-5 Serial Interface: Universal asynchronous receiver/transmitter serial interface module for use between LSI-11 bus and serial devices such as the Heathkit H9 video terminal (page 74) or H36 DEC Writer II (page 75). Has optically isolated 20 mA current loop or EIA interfaces, selectable baud rates of 50 to 9600. Plugs into H11 backplane, fully compatible with PDP 11/03 and other LSI-11 backplane machines. With all mating connectors.

Kit H11-5, Shpg. wt. 2 lbs.105.00

Assembled and Tested version of above.

WH11-5, Shpg. wt. 1 lb.150.00

NEW! Adapter Cable for H11-5. Provides EIA industry standard electrical and mechanical interface between H11-5 and other computer peripherals. For use with H11 or H11A computers. Fully assembled and tested.

WH11-51, Shpg. wt. 1 lb.15.00

WH11-16 16K DEC Memory Module. Provides 16K dynamic MOS random access memory on a 5x8½" board. Has on-board refresh, 570 nS cycle time and 250 nS access time. Fully assembled and tested. DEC (MSV11-DC). Max. memory capacity of H11A is 30K.

WH11-16, Shpg. wt. 2 lbs.995.00

WH11-32. Identical to 16K DEC memory above, but with 16 additional IC's containing an additional 16K of memory. Fully assembled and tested. DEC (MSV11-DD). Max. memory capacity of H11A is 30K.

WH11-32, Shpg. wt. 2 lbs.1995.00

H11-6 Extended Arithmetic Chip: Adds powerful arithmetic instructions to the LSI-11, including fixed point multiply, divide and extended shifts plus full floating point add, subtract, multiply and divide. Helps minimize arithmetic sub-routines, speeds up program execution and development. Saves memory space too. 40-pin dual-inline package IC plugs into socket on H11A or H11 board.

H11-6, Shpg. wt. 1 lb.159.00

Manual Set for H11A Computer: Includes complete assembly and operation manuals for the H11A Digital Computer, H11-1 4K memory board, H11-2 parallel interface, H11-5 serial interface, H9 CRT terminal, and H10 paper tape reader/punch. Also includes complete software documentation—monitor, editor, assembler, linker, BASIC, FOCAL and related software. In handsome 3-ring binder.

HM-1100 Manual Set, Shpg. wt. 12 lbs.25.00

NOTE: The price of the manual set can be deducted when you order an H11A. Manuals are included with each kit.

HEATH/DEC Software License Agreement

This form **MUST** accompany your H11A computer order or your HT-11 Add-on order.

CUSTOMER SUBLICENSE GRANT

HEATH COMPANY (hereinafter referred to as Heath) pursuant to a license agreement with Digital Equipment Corporation (hereinafter referred to as Digital) does hereby grant to CUSTOMER a non-transferable and non-exclusive sublicense to use the following binary software programs (herein singularly and/or collectively referred to as SOFTWARE) under the terms and conditions stated in this sublicense grant:

- ☐ PTSP-11 Paper Tape System ☐ *HT-11 Operating System with BASIC
☐ FOCAL/PTS Language Processor ☐ *HT-11-1 FORTRAN
☐ BASIC/PTS Language Processor

Check those applicable to this order only. A separate customer sublicense grant form must be executed for any unlicensed software products purchased at a later date.

*Type of CPU and serial number information is required when ordering HT-11 or HT-11-1. Enter this information in the spaces provided below. When HT-11 or HT-11-1 are ordered with a Heath Computer, Heath will enter the appropriate information on the signed sublicense grant submitted with your order.

CPU Serial Number _____

Type of CPU _____


Software is furnished to CUSTOMER for use on a single Heath CPU only and may be modified, or copied (with the inclusion of DIGITAL's copyright notice) only for use on such CPU. The CUSTOMER shall not provide or otherwise make available the Software or any portion thereof in any form to any third party without the prior approval of DIGITAL. Title to the ownership of the Software shall at all times remain with DIGITAL.

DIGITAL AND HEATH JOINTLY AND SEVERALLY DISCLAIM ALL IMPLIED WARRANTIES WITH REGARD TO THE SOFTWARE LICENSED HEREUNDER, INCLUDING ALL WARRANTIES OF MERCHANTABILITY AND FITNESS; and any stated express warranties are in lieu of all obligations or liability on the part of either DIGITAL or HEATH for damages, including but not limited to special, indirect or consequential damages arising out of or in connection with the use or performance of the Software licensed hereunder. This Sublicense Grant, the licenses granted hereunder and the Software may not be assigned by the CUSTOMER without prior written consent from DIGITAL. No right to reprint or copy the Software, in whole or in part, is granted hereby except as otherwise provided herein.

HEATH COMPANY _____
 By _____

CUSTOMER _____
 By _____


Customer's Signature



Choose the H11A System you want to meet your particular needs and save a big 5% on the total price!

Now you can select the H11 system that meets your particular requirements and get a big system discount. Simply choose an H11, any major peripheral including the H27 floppy disk, plus the software, memory and accessories you need. Then deduct 5% from the total price (excluding shipping and handling charges). It's the easy, efficient way to get your complete computer system and save money too!

NEW H27 Dual-Drive Floppy Disk System for H11 and H11A



The WH27 INCLUDES the interface/controller (and a bootstrap program) on a single-circuit card at no extra charge. This is an extra-cost option with most other units.

Complete Operating Systems Software for the H27


The HT-11 Operating System is a single-user, single-task system for interactive program development and on-line applications for the H11 or H11A computers. HT-11 programs include: Text Editor, Linker, Librarian, Peripheral Interchange, On-Line Debugging; and BASIC with variable length strings, "virtual" memory arrays, chaining and overlay capabilities, and a "desk calculator" mode for single calculations or debugging. Useful utilities provide macro expansion, assembly language processing and cross-reference listings. There is also a DUMP program that prints the contents of files, a program that compares files and prints their differences and a program that gives you the capability to install permanent modifications to existing programs.

Other features of HT-11 include: easy operation with NO system generation procedure; contiguous file structure for easy manipulations; device-independent I/O programming; Real-time interrupt capabilities to handle synchronous, asynchronous and event-driven I/O; low-overhead monitor with memory swapping functions for most efficient use of memory space. Supports H11-6 Arithmetic Chip. A super powerful and sophisticated system easily worth 8 to 10 times its price.

*HT-11, Operating System with BASIC. Shpg. wt. 12 lbs. 350.00

*HT-11-1, FORTRAN for HT-11 System. Complete ANSI standard 1966 FORTRAN IV with extensions for increased speed. 20 lbs. 250.00

*NOTE: The HT-11 Disk Operating System and HT-11-1 FORTRAN are compatible only with the Heath H27 or WH27 Floppy Disk Systems. To obtain this software, The Heath/DEC Software License Agreement must be signed and you must include the type and serial number of your CPU in the blanks provided.



\$1895⁰⁰
Kit

- Z80 Microprocessor-based Controller
- Full Compatibility with DEC RX01® (PDP-11/03)
- Head Step Time of 6 mS
- Dual-drive for a total capacity of 512K bytes

The H27 floppy disk system is the one H11 owners have been waiting for — it brings enormous power and versatility to the H11 (or H11A) computer system — at a price that's a lot less than comparable floppy disk systems on the market. Here's what you get:

Full compatibility with DEC® RXV11® (PDP-11/03 hardware and software) to give you the capability of using the hundreds of applications programs written by users of the DEC PDP-11/03, the world's most popular micro-computer. This performance-proven hardware and broad software base provides virtually unlimited versatility and outstanding computing power. Dual-drive versatility with a total of 512K bytes of program and data storage space gives you enough room for most all general-purpose application needs. And the Z80 micro-controller in the WH27 gets average access time down to 6 mS. You'll have virtually immediate access to all your files and programs.

The H27, while maintaining full compatibility with the RX01 system, also gives you some unique features you won't find on other RX01 systems:

1. A built-in self-test diagnostic on power-up that protects existing programs on your disks.
2. A mechanical interlock that prevents accidental media damage. (If floppy is not seated properly, the door will not close and the H27 will not operate.)
3. A write-protect function that protects important files and programs from being written over inadvertently.
4. A reformatting procedure that gives you the capability of writing in IBM 3740 standard format.

The H27 includes a single board interface/bootstrap that uses just one back-plane slot. This leaves you with more space for memory and I/O devices.

The precision dual-drive system (Memorex drives) is housed in a rugged metal cabinet to provide years of reliable performance. Overall dimensions: 8" H x 18" W x 20" D. For 100-135 or 200-270 V, 60 Hz AC.

The Operating System Software for the H27 (HT-11) described at left requires at least 16K words of memory to use its full capabilities.

Kit H27, Shpg. wt. 78 lbs. 1895.00

WH27 Dual-Drive Floppy Disk. Fully assembled and tested. Shpg. wt. 69 lbs. 2495.00

Memorex Model 550 Floppy Drive. Not required for above.

H27-1, Assembled and Tested. Shpg. wt. 15 lbs. 495.00

Pkg. of 5 Blank Disks. IBM 3740 format. 25.00

H10 Paper Tape/Reader Punch for H11A/H11 Computers

The H10 paper-tape reader/punch is a general-purpose storage peripheral using reliable low-cost paper tape. It's fully compatible and styled to match the H8 and H11 computers, and it works reliably with any other computer through a parallel interface. The reader reads tape up to a maximum rate of 50 characters per second. A full sensitivity adjustment on each channel permits any color, thickness, quality (oiled or unoled) paper tape to be used. Sensitive Darlington photo transistors and an incandescent lamp reader head provide reliable reading. The punch operates up to maximum speed of 10 characters per second. Ratchet/solenoid drive and solenoid control of punches provide high-accuracy and consistent punching. Controls include power on-off, read and punch start. A feed control feeds blank tape through the punch for leader tape, a copy control provides fast, easy tape duplication. Interfacing is provided by separate 8-bit parallel input and output buses with standard TTL logic levels and handshaking lines for both reader and punch. A rear panel 24-pin interface connector and mating cable are supplied. Accessories include holder for roll paper tape, chad collector tray and collector box for fan-fold tape, 8" roll (900 ft.) blank paper tape. Cabinet with metal top and rugged steel chassis. 12 1/2" H x 9 3/4" W x 19 5/8" D. For 110-130 VAC, 60 Hz or 220-240 VAC, 50 Hz.

Kit H10, Shpg. wt. 33 lbs. 350.00

Three Rolls Blank paper tape. Each 8" diameter, 900-ft. min.

H10-2, Shpg. wt. 5 lbs. 10.00

Three Boxes Fan-Fold Tape. Approx. 1000 ft. each.

H10-3, Shpg. wt. 5 lbs. 15.00

These Low-Priced Peripherals are a perfect match for your H8 or H11A Computers

You NEED a quality terminal to "communicate" with your computer. The H9 gives you complete I/O capability and the WH14 gives you a printed record of your programs.



\$550⁰⁰

H9 CRT Video Terminal and Keyboard gives you full I/O capability for your H8 or H11

One of the lowest-cost ASCII terminals available anywhere — features a bright 12" CRT display with twelve 80-character lines, 67-key keyboard, all standard serial interfaces, plus a fully wired and tested control board and a wiring harness for simplified assembly.

The H9 video terminal is a general-purpose peripheral designed for use with the Heathkit H8 or H11 computers, or any digital computer. It provides keyboard input and a CRT for the convenient entry and display of computer programs and data. It can be used with any computer in dedicated stand-alone applications or in time-sharing systems.

Character format is standard upper case 5x7 dot matrix. The long form display is twelve 80-character lines. The short form display is forty-eight 20-character lines in four 12-line columns. An automatic line carry over feature executes line feed and return when line exceeds character count on both long and short-form displays. A built-in speaker provides audible end-of-line warning.

Auto-Scrolling is featured in both long and short-form. In the long form, as the line enters at bottom, the top line scrolls off-screen; in the short form, as the column enters from the right, the left column scrolls off-screen. Auto-scrolling can be defeated with a front panel switch. The cursor mark indicates the next character to be typed for accurate positioning. Cursor controls include up, down, left, right and home. Serial data baud rates are selectable from 110-9600. Baud rate clock output and reader control are available on the rear panel connector.

The erase mode permits automatic full page erase or erase to end of line starting at cursor position. A transmit page function allows a full page to be formatted, edited and modified, then transmitted as a block of continuous data.

The plot mode permits graphs, curves and simple figures to be displayed. Plotting can be accomplished via the front panel keyboard or from external inputs.

The H9 serial interface provides EIA RS-232C levels, a 20 mA current loop and standard TTL levels. Parallel interfacing includes standard TTL levels, 8 bits input and 8 bits output and 4 handshaking lines for connection to H10.

The PC control board is fully assembled and tested for added reliability and simplified kit assembly. 12½" H x 15½" W x 20¾" D. For 110 VAC, 60 Hz or 230 VAC, 50 Hz.

Kit H9, Shpg. wt. 50 lbs. **\$550.00**

Adapter Cable for H9. Provides EIA industry standard electrical and mechanical interface between H9 and other devices. WH9-1, Shpg. wt. 1 lb. **\$15.00**

Now available
kit or wired! **\$595⁰⁰** Kit

new H14 Line Printer gives you "hard copy" output of your programs as you execute them

One of the lowest-cost line printers available — designed for use with the H8 and H11A computers — can also be used with most any other computer through a standard serial interface

The H14 is a versatile, low-cost microprocessor-controlled line printer designed to give you a "hard-copy" permanent record printout of your computer programming. These copies provide added convenience in reading, editing, debugging and modifying your programs. The H14 eliminates "losing" and recalling program lines (after they have scrolled off a CRT screen) when working with a CRT terminal. It also provides handy printed copies of address lines, lists, or other programming data you need for your hobby or business applications.

The H14 prints the standard 96-character ASCII set (upper AND lower case) on a 5x7 dot matrix print head. The impact printer uses readily available 0.5" wide nylon inked ribbon on 2" diameter spools. Maximum instantaneous print speed is 135 characters per second with a selectable line length of 80, 96 or 132 characters. Line spacing is 6 lines per inch with 8 lines per inch software selectable. Baud rates are selectable from 110-4800. The adjustable width sprocket feed allows the use of edge-punched fan-fold paper forms from 2.5" to 9.5" wide with a maximum thickness of 0.006".

The H14 connects to the H8 or H11 computer by the use of a standard (RS-232C) serial interface or 20 mA current loop. Handshaking is provided by reverse data channel or busy control signal. A 25-pin male EIA connector is provided for easy and convenient hookup. A convenient paper rack to keep printer output handy and organized is included at no extra cost.

The H14 is designed for years of reliable trouble-free service. It is supplied in kit form or fully assembled and factory tested. 18½" W x 4½" H x 14½" D. For 100-135, 200-270 VAC, 50-60 Hz. Requires H8-17, H8-18 or HC8-14 software for H8; HT-11 or H11-18 software for H11 or H11A.

Kit H14, Shpg. wt. 30 lbs. **\$595.00**

WH-14, Assembled version of above. Shpg. wt. 32 lbs. **\$895.00**

H14-1, 3450 Sheets 9½" x 11" Fan-Fold Paper for use with H14. 31 lbs. ... **\$30.00**

The World-Famous LA36 DEC Writer II Provides "Hard Copy" Printout for Your H8 or H11



\$1495.00
Fully Assembled!
PREPAID SHIPMENT!

Has 7x7 dot matrix print head for crisp, clear character formation; switch selectable 10, 15 and 30 cps printing speeds; variable width forms handling from 3" to 14 7/8" wide; adjustable left and right hand tractors half or full duplex operation; ANSI-standard multi-key rollover and a typewriter-like keyboard. It prints 10 characters per inch horizontal spacing and 6 lines per inch vertical spacing. The integral 20 mA current loop interface makes the LA36 compatible with both the H8 and H11 computers, as well as most others. With connecting cable and integral stand. Overall size, 27 1/2" W x 33 1/4" H x 24" D.

The H36 (LA36 DEC WRITER II) is shipped Motor Freight, prepaid to your nearest terminal within the Continental U.S. Include your phone number on order for notification of arrival. Arrangements for home delivery may be made at no extra charge in most cases. NO C.O.D. ORDERS.

H36 DEC Writer II, For 120 VAC, 60 Hz 1495.00
H36J DEC Writer II, For 220 VAC, 50 Hz 1495.00

H36-1 Fan-fold Paper for H36. Standard 14 7/8" x 11" white and green, single-part, lined paper. 3450 sheets per carton. H-36-1, Shpg. wt. 47 lbs. 30.00


H36-2 EIA Interface. Provides EIA RS232-C Interface for LA36, 9-ft. cable with 25-pin data-set type connector is also supplied. (DEC designation, LAXX-KG).

H36-2, Shpg. wt. 1 lb. 65.00

H36-3 Acoustic Coupler. Provides hookup to phone lines for time-sharing. Mounts in LA-36 with hardware provided. (DEC designation, LAXX-LM).

Kit H36-3, Shpg. wt. 10 lbs. 250.00

H36-4, Ribbon Accessory, Shpg. wt. 7 lbs. 15.00



Cassette Recorder/Player Peripheral

Required for use with H8 computer and H8-5 interface. Heath does not assume responsibility for improper software operation resulting from the use of other units.

ECF-3801, Assembled. 4 lbs. 60.00

ECF-3802, 30-Min. Cassettes. Pkg. of 3. 1 lb. 6.00

Here's Heath Complete Reference Library of Latest Publications

COMPUTERS AND MICROPROCESSORS

Microcomputer Dictionary and Guide (Matrix). Definitions on computers and related topics. EDP-218 17.95
Introduction to Microcomputers Vol. I. (Osborne). EDP-224 8.50

Introduction to Microcomputers Vol. II. (Osborne). EDP-225 15.00
How to Buy and Use Minicomputers (Sams) EDP-227 9.95

TV Typewriter Cookbook (Sams). Good text explaining I/O terminals, interfacing, etc. EDP-226 9.95

8080 Programming for Logic Design (Osborne). EDP-229 8.50

8080 Software Gourmet Guide and Cookbook (Scelbi). EDP-228 10.95

Practical Microcomputer Programming: 8080 (Northern Technology). EDP-235 21.95

6800 Programming for Logic Design (Osborne). EDP-236 8.50

6800 Software Gourmet Guide and Cookbook (Scelbi). EDP-233 9.95

6800 Microprocessor Applications Manual (Motorola). EDP-244 25.00

M6800 Program Reference Manual (Motorola). EDP-245 3.00

Minicomputer Systems: Organization and Programming (Prentice-Hall). Emphasis on the PDP-11. EDP-238 17.95

PDP-11 Programming (Algonquin). EDP-239 10.00

The Minicomputer in the Lab. (Wiley). EDP-246 19.50

Assembly Level Programming (Lexington). EDP-236 14.95

101 BASIC Computer Games (DEC). EDP-237 7.50

BASIC Software Library, Vol. I. BASIC applications, book-keeping games, pictures (graphics). EDP-240 24.95

BASIC Software Library, Vol. II. Math, engineering, plotting and statistical programs in BASIC. EDP-241 24.95

BASIC Software Library, Vol. III. Advanced business applications programs in BASIC. EDP-242 39.95

BASIC Software Library, Vol. IV. Games and business applications programs in BASIC. EDP-243 9.95

BASIC Software Library, Vol. V. Games, graphics, and useful math programs in BASIC. EDP-251 9.95

Minicomputers: Structure and Programming (Hayden). EDP-260 13.95

BASIC Workbook (Hayden). EDP-261 5.50

Your Home Computer (Dymax). EDP-252 6.00

Home Computers. 210 Questions and Answers. Vol. I. Hardware (Dillithium). EDP-253 7.95

Vol. II. Software (Dillithium). EDP-254 6.95

Some Common BASIC Programs (Osborne). EDP-255 8.50

How to Program Microcomputers (Sams). EDP-256 8.95

8080A/8085 Assembly Language Programming (Osborne). EDP-262 7.50

Step-by-Step Introduction to 8080 Microprocessor Systems (Dillithium). EDP-263 7.95

8080 Microcomputer Experiments (Dillithium). EDP-264 13.95

BASIC Software Library Vol. VI (Sci. Res.). EDP-265 49.95

BASIC Software Library Vol. VII (Sci. Res.). EDP-266 39.95

The 8080A Bugbook (Sams). EDP-267 9.95

BASIC Software Library Vol. VIII (Sci. Res.). EDP-269 19.95

Microprocessor Interfacing Tech. (Sybex). EDP-270 7.95

Practical Microcomputer Programming for the 6800 (Northern Tech.). EDP-271 21.95

8080 Machine Language Programming for Beginners (Dillithium). EDP-272 7.95

BASIC for Everyone (Prentice-Hall). EDP-273 8.95

Introduction to Computer Programming with BASIC Language. (Prentice-Hall). EDP-274 8.95

Getting Acquainted with Microcomputers. EDP-275 8.95

IC Converter Cookbook (Sams). EDP-276 13.95

8080/8086 Software Design (Sams). EDP-277 9.50

BASIC for Home Computers (Wiley). EDP-278 5.95

Fortran IV (Wiley). EDP-279 5.95

TELEVISION

Home TV-FM Antennas. EDP-186 6.50

Handbook of Video-cassette Recorders. EDP-258 5.95

Radio TV Handbook. GDP-315 11.95

TEST EQUIPMENT

Handbook of Practical Electronic Tests and Measurements. EDP-137 17.95

101 Ways to Use Your VOM/VTVM. EDP-150 4.50

Understanding and Using the Oscilloscope. EDP-139, 5.95

101 Ways to Use Your Oscilloscope. EDP-149 4.95

How to use Vectorscope/Oscilloscopes and Sweep-Marker Generators. EDP-142 5.95

How to Use Color TV Test Instruments. EDP-138 5.95

SHORTWAVE LISTENING

99 Ways to Improve your Shortwave Listening. Antennas, receivers, accessories, troubleshooting, etc. EDP-155, 4.50

Shortwave Listener's Handbook. Covers basic equipment, modifications, receiver characteristics, antennas, schedules and reception reports. Lists major shortwave stations by country and frequency. EDP-196 4.90

SECURITY

Building and Installing Electronic Intrusion Alarms. EDP-135 4.50

The Electronic Invasion. Electronic snooping explained. EDP-203 5.95

ELECTRONIC DEVICES and CIRCUITS

The TTL Data Book. Specifications, pin outs, test data, applications. EDP-220 4.95

TTL Cookbook. What TTL is, how it works and how to use it. EDP-183 8.95

IC Op-Amp Cookbook. Theory of operations, applications. EDP-184 12.95

Tube Substitution Handbook. Lists 12,000 replacements for all types of tubes. EDP-174 2.95

Transistor Substitution Handbook. Substitutions for 100,000 bipolar transistors. EDP-175 4.50

The 555 Timer Applications Source Book with experiments. EDP-249 6.95

MODELS/RADIO CONTROL

Advanced Radio Control. Planes, cars, boats, rockets, etc. EDP-158 4.95

Radio Control Handbook. Covers most control systems. EDP-159 6.95

AMATEUR RADIO

Amateur Radio License Study Guides—make getting any radio license easy. NOVICE, EDP-122 5.95

GENERAL, EDP-123 7.95

ADVANCED, EDP-124 5.95

EXTRA, EDP-125 5.95

ARRL Amateur's Handbook. Up to date electronics theory and application. Tube data, construction projects, antenna theory, SSB etc. HDP-293 9.75

Radio Handbook. Comprehensive radio theory and practice for hams. EDP-117 19.50

Amateur Tests and Measurements. EDP-119 5.50

US Callbook. Complete listing of Amateurs in all US call areas and territories. More. EDP-126 14.95

DX Callbook. Complete listing of foreign Amateurs, addresses, postal rate charts, call zone maps. EDP-127 13.95

73 Dipole Antennas. EDP-180 4.95

73 Vertical and Beam Antennas. EDP-181 5.50

ARRL Antenna Handbook. EDP-182 5.00

REFERENCE/GENERAL

How to Build and Use Electronic Devices. Guide to using op-amps and other electronic devices. EDP-202 9.95

ABC's of Soldering. EDP-178 3.95

Reference Data for Radio Engineers. EDP-176 30.00

Radio Operator's License Question and Answer Manual. EDP-193 7.95

Metal Detector Handbook. Basics of metal detection, techniques, etc. EDP-222 9.50

How to Build Metal/Treasure Locators. EDP-257 3.95

BOOK ORDERING INFORMATION

There is a \$10 minimum order for a BOOK ONLY purchase. No minimum on books purchased with kits. Do not calculate postage on book orders, just add 50¢ for each book to the postage column on the order blank. Do not use zone chart for book orders.